

Versatile
use in a dairy



CHEESE TABLES

SM, SMG, SOM



Add value to milk.

→ Käsetisch, Typ SM

TISCH FÜR EINE VIELFÄLTIGE NUTZUNG IN DER KÄSEREI

- Käsetisch auf Rädern mit erhöhtem Rand (40 mm)
- Der erhöhte Rand und der Auslass ermöglichen kontrolliertes Abtropfen
- Hergestellt aus rostfreiem Stahl AISI 304
- Zerlegbare Tischbeine für SM 97, SM 147 und SM 199 - niedrigere Transportkosten




Zusatzrüstung:

- Herausnehmbare Ablagefläche unter dem Tisch

Zerlegbare Tischbeine

Typ	Dimensionen (mm)		
	Länge	Breite	Höhe
SM 97	900	700	850/900
SM 147	1400	700	850/900
SM 199	1900	900	850/900
SM 249	2400	900	850/900
SM 299	2900	900	850/900



→ Käsetisch - beheizt, Typ SMG

BEHEIZTE ARBEITSFLÄCHE

- CKäsetisch auf Rädern mit erhöhtem Rand (40 mm) und beheizter Arbeitsfläche
- Die beheizte Arbeitsfläche verhindert eine Unterkühlung und Schock des Käsebruchs bei Kontakt mit der Oberfläche
- Hergestellt aus rostfreiem Stahl AISI 304
- Anschlüsse für sanitäres Warmwasser



Zusatzrüstung:

- Herausnehmbare Ablagefläche unter dem Tisch

Typ	Dimensionen (mm)		
	Länge	Breite	Höhe
SMG 97	900	700	850/900
SMG 147	1400	700	850/900
SMG 199	1900	900	850/900
SMG 249	2400	900	850/900
SMG 299	2900	900	850/900

→ Draining cheese table SOM Basic

RECEIVING, DRAINING OF THE CHEESE MASS

- Deepened cheese table on wheels intended for **receiving and draining of the cheese mass**
- Outlet valve for whey
- Made from AISI 304 stainless steel

Additional equipment:

- Draining grid at the bottom
- Removable storage shelf under the table
- Table cover
- Cheese mass dividing plate*



Type	The possibility of pressing up to (kg) of cheese mass:	Dimensions (mm) - outside (inside)			Cheese mass dividing plate*(or/or)		
		Length	Width	Height	Ø100	Ø140	Ø180
SOM - 117 Basic	cca. 70	1240 (1155)	860 (775)	900 (300)	6 x 4	5 x 4	5 x 3
SOM - 109 Basic	cca. 70	1080 (1000)	980 (900)	850 (300)	6 x 5	5 x 5	4 x 4
SOM - 159 Basic	cca. 120	1580 (1500)	980 (900)	850 (300)	9 x 5	7 x 5	6 x 4
SOM - 2010 Basic	cca. 180	2080 (2500)	1100 (1000)	900 (350)	12 x 6	10 x 5	8 x 4
SOM - 2510 Basic	cca. 220	2600 (2500)	1100 (1000)	900 (350)	12 x 5	12 x 5	12 x 5
SOM - 3010 Basic	cca. 290	3100 (3000)	1100 (1000)	900 (350)	18 x 6	15 x 5	12 x 4

* Additional equipment. Dividing plates with other, larger diameters on demand.

→ Draining cheese table SOM Advanced

RECEIVING, DRAINING, PREPRESSING AND CUTTING OF THE CHEESE MASS

- Deepened cheese table on wheels intended for **receiving and draining hand pressing and hand cuttind of cheese mass**
- Movable draining grinds at the front and at the back enable **adapting to different quantities of cheese mass**
- Outlet valve for whey
- Made from AISI 304 stainless steel

Additional equipment

- Draining grid at the bottom
- Prepressing plates
- Removable storage shelf under the table
- Table cover
- Cheese mass dividing plate*



Type	The possibility of pressing up to (kg) of cheese mass:	Dimensions (mm) - outside (inside)			Cheese mass dividing plate*(or/or)		
		Length	Width	Height	Ø100	Ø140	Ø180
SOM - 117 Adv	cca. 70	1240 (1155)	860 (775)	900 (300)	6 x 4	5 x 4	5 x 3
SOM - 109 Adv	cca. 70	1080 (1000)	980 (900)	850 (300)	6 x 5	5 x 5	4 x 4
SOM - 159 Adv	cca. 120	1580 (1500)	980 (900)	850 (300)	9 x 5	7 x 5	6 x 4
SOM - 2010 Adv	cca. 180	2080 (2500)	1100 (1000)	900 (350)	12 x 6	10 x 5	8 x 4
SOM - 2510 Adv	cca. 220	2600 (2500)	1100 (1000)	900 (350)	12 x 5	12 x 5	12 x 5
SOM - 3010 Adv	cca. 290	3100 (3000)	1100 (1000)	900 (350)	18 x 6	15 x 5	12 x 4

* Additional equipment. Dividing plates with other, larger diameters on demand.



Complete solutions. With Plevnik equipment.



PLEVNIK

PLEVNIK, d.o.o.
Podsmreka 56
SI 1356 Dobrova
milk.cheese@plevnik.si
+ 386 (0)1 200 60 80

Together we have created
more than 4,500 successful
cheese-making stories.



www.plevnik.eu

Representative: